

Groep	Profiel code	Omschrijving	Kwaliteit extern	Lengte	Gewicht	Eenh.gew.	Basisprijs	Eenheid
0200	HEA0100	HEA balk 100 mm	S235JR EN10025-2/EN10034	6.000	17,10	kg/m	€ 152,00	100 kg
0200	HEA0100	HEA balk 100 mm	S235JR EN10025-2/EN10034	12.000	17,10	kg/m	€ 152,00	100 kg
0200	HEA0100	HEA balk 100 mm	S235JR EN10025-2/EN10034	15.000	17,10	kg/m	€ 152,00	100 kg
0200	HEA0100	HEA balk 100 mm	S235JR EN10025-2/EN10034	18.000	17,10	kg/m	€ 152,00	100 kg
0200	HEA0120	HEA balk 120 mm	S235JR EN10025-2/EN10034	6.000	20,30	kg/m	€ 152,00	100 kg
0200	HEA0120	HEA balk 120 mm	S235JR EN10025-2/EN10034	12.000	20,30	kg/m	€ 152,00	100 kg
0200	HEA0120	HEA balk 120 mm	S235JR EN10025-2/EN10034	14.000	20,30	kg/m	€ 152,00	100 kg
0200	HEA0120	HEA balk 120 mm	S235JR EN10025-2/EN10034	15.000	20,30	kg/m	€ 152,00	100 kg
0200	HEA0120	HEA balk 120 mm	S235JR EN10025-2/EN10034	18.000	20,30	kg/m	€ 152,00	100 kg
0200	HEA0140	HEA balk 140 mm	S235JR EN10025-2/EN10034	6.000	25,20	kg/m	€ 151,00	100 kg
0200	HEA0140	HEA balk 140 mm	S235JR EN10025-2/EN10034	12.000	25,20	kg/m	€ 151,00	100 kg
0200	HEA0140	HEA balk 140 mm	S235JR EN10025-2/EN10034	15.000	25,20	kg/m	€ 151,00	100 kg
0200	HEA0140	HEA balk 140 mm	S235JR EN10025-2/EN10034	18.000	25,20	kg/m	€ 151,00	100 kg
0200	HEA0160	HEA balk 160 mm	S235JR EN10025-2/EN10034	6.000	31,00	kg/m	€ 151,00	100 kg
0200	HEA0160	HEA balk 160 mm	S235JR EN10025-2/EN10034	12.000	31,00	kg/m	€ 151,00	100 kg
0200	HEA0160	HEA balk 160 mm	S235JR EN10025-2/EN10034	15.000	31,00	kg/m	€ 151,00	100 kg
0200	HEA0160	HEA balk 160 mm	S235JR EN10025-2/EN10034	18.000	31,00	kg/m	€ 151,00	100 kg
0200	HEA0180	HEA balk 180 mm	S235JR EN10025-2/EN10034	6.000	36,20	kg/m	€ 151,00	100 kg
0200	HEA0180	HEA balk 180 mm	S235JR EN10025-2/EN10034	12.000	36,20	kg/m	€ 151,00	100 kg
0200	HEA0180	HEA balk 180 mm	S235JR EN10025-2/EN10034	15.000	36,20	kg/m	€ 151,00	100 kg
0200	HEA0180	HEA balk 180 mm	S235JR EN10025-2/EN10034	18.000	36,20	kg/m	€ 151,00	100 kg
0200	HEA0200	HEA balk 200 mm	S235JR EN10025-2/EN10034	6.000	43,20	kg/m	€ 153,50	100 kg
0200	HEA0200	HEA balk 200 mm	S235JR EN10025-2/EN10034	12.000	43,20	kg/m	€ 153,50	100 kg
0200	HEA0200	HEA balk 200 mm	S235JR EN10025-2/EN10034	15.000	43,20	kg/m	€ 153,50	100 kg
0200	HEA0200	HEA balk 200 mm	S235JR EN10025-2/EN10034	18.000	43,20	kg/m	€ 153,50	100 kg
0200	HEA0220	HEA balk 220 mm	S235JR EN10025-2/EN10034	6.000	51,50	kg/m	€ 153,50	100 kg
0200	HEA0220	HEA balk 220 mm	S235JR EN10025-2/EN10034	12.000	51,50	kg/m	€ 153,50	100 kg
0200	HEA0220	HEA balk 220 mm	S235JR EN10025-2/EN10034	15.000	51,50	kg/m	€ 153,50	100 kg
0200	HEA0220	HEA balk 220 mm	S235JR EN10025-2/EN10034	18.000	51,50	kg/m	€ 153,50	100 kg
0200	HEA0240	HEA balk 240 mm	S235JR EN10025-2/EN10034	6.000	61,50	kg/m	€ 155,50	100 kg
0200	HEA0240	HEA balk 240 mm	S235JR EN10025-2/EN10034	12.000	61,50	kg/m	€ 155,50	100 kg
0200	HEA0240	HEA balk 240 mm	S235JR EN10025-2/EN10034	15.000	61,50	kg/m	€ 155,50	100 kg

0200	HEA0240	HEA balk 240 mm	S235JR EN10025-2/EN10034	18.000	61,50	kg/m	€	155,50	100 kg
0200	HEA0260	HEA balk 260 mm	S235JR EN10025-2/EN10034	6.000	69,50	kg/m	€	155,50	100 kg
0200	HEA0260	HEA balk 260 mm	S235JR EN10025-2/EN10034	12.000	69,50	kg/m	€	155,50	100 kg
0200	HEA0260	HEA balk 260 mm	S235JR EN10025-2/EN10034	18.000	69,50	kg/m	€	155,50	100 kg
0200	HEA0280	HEA balk 280 mm	S235JR EN10025-2/EN10034	12.000	77,90	kg/m	€	155,50	100 kg
0200	HEA0280	HEA balk 280 mm	S235JR EN10025-2/EN10034	18.000	77,90	kg/m	€	155,50	100 kg
0200	HEA0300	HEA balk 300 mm	S235JR EN10025-2/EN10034	6.000	90,00	kg/m	€	155,50	100 kg
0200	HEA0300	HEA balk 300 mm	S235JR EN10025-2/EN10034	12.000	90,00	kg/m	€	155,50	100 kg
0200	HEA0300	HEA balk 300 mm	S235JR EN10025-2/EN10034	18.000	90,00	kg/m	€	155,50	100 kg
0200	HEA0400	HEA balk 400 mm	S235JR EN10025-2/EN10034	12.000	127,40	kg/m	€	158,00	100 kg
0200	HEA0500	HEA balk 500 mm	S235JR EN10025-2/EN10034	12.000	158,00	kg/m	€	152,00	100 kg
0200	HEAM0100	HEA balk 100 mm gemenied	S235JR EN10025-2/EN10034	6.000	17,10	kg/m	€	166,20	100 kg
0200	HEAM0100	HEA balk 100 mm gemenied	S235JR EN10025-2/EN10034	12.000	17,10	kg/m	€	166,20	100 kg
0200	HEAM0100	HEA balk 100 mm gemenied	S235JR EN10025-2/EN10034	15.000	17,10	kg/m	€	166,20	100 kg
0200	HEAM0100	HEA balk 100 mm gemenied	S235JR EN10025-2/EN10034	18.000	17,10	kg/m	€	166,20	100 kg
0200	HEAM0120	HEA balk 120 mm gemenied	S235JR EN10025-2/EN10034	6.000	20,30	kg/m	€	166,30	100 kg
0200	HEAM0120	HEA balk 120 mm gemenied	S235JR EN10025-2/EN10034	12.000	20,30	kg/m	€	166,30	100 kg
0200	HEAM0120	HEA balk 120 mm gemenied	S235JR EN10025-2/EN10034	15.000	20,30	kg/m	€	166,30	100 kg
0200	HEAM0120	HEA balk 120 mm gemenied	S235JR EN10025-2/EN10034	18.000	20,30	kg/m	€	166,30	100 kg
0200	HEAM0140	HEA balk 140 mm gemenied	S235JR EN10025-2/EN10034	6.000	25,20	kg/m	€	164,50	100 kg
0200	HEAM0140	HEA balk 140 mm gemenied	S235JR EN10025-2/EN10034	12.000	25,20	kg/m	€	164,50	100 kg
0200	HEAM0140	HEA balk 140 mm gemenied	S235JR EN10025-2/EN10034	15.000	25,20	kg/m	€	164,50	100 kg
0200	HEAM0140	HEA balk 140 mm gemenied	S235JR EN10025-2/EN10034	18.000	25,20	kg/m	€	164,50	100 kg
0200	HEAM0160	HEA balk 160 mm gemenied	S235JR EN10025-2/EN10034	6.000	31,00	kg/m	€	163,40	100 kg
0200	HEAM0160	HEA balk 160 mm gemenied	S235JR EN10025-2/EN10034	12.000	31,00	kg/m	€	163,40	100 kg
0200	HEAM0160	HEA balk 160 mm gemenied	S235JR EN10025-2/EN10034	15.000	31,00	kg/m	€	163,40	100 kg
0200	HEAM0160	HEA balk 160 mm gemenied	S235JR EN10025-2/EN10034	18.000	31,00	kg/m	€	163,40	100 kg
0200	HEAM0180	HEA balk 180 mm gemenied	S235JR EN10025-2/EN10034	6.000	36,20	kg/m	€	163,10	100 kg
0200	HEAM0180	HEA balk 180 mm gemenied	S235JR EN10025-2/EN10034	12.000	36,20	kg/m	€	163,10	100 kg
0200	HEAM0180	HEA balk 180 mm gemenied	S235JR EN10025-2/EN10034	15.000	36,20	kg/m	€	163,10	100 kg
0200	HEAM0180	HEA balk 180 mm gemenied	S235JR EN10025-2/EN10034	18.000	36,20	kg/m	€	163,10	100 kg
0200	HEAM0200	HEA balk 200 mm gemenied	S235JR EN10025-2/EN10034	6.000	43,20	kg/m	€	164,90	100 kg
0200	HEAM0200	HEA balk 200 mm gemenied	S235JR EN10025-2/EN10034	12.000	43,20	kg/m	€	164,90	100 kg

0200	HEAM0200	HEA balk 200 mm gemenied	S235JR EN10025-2/EN10034	15.000	43,20	kg/m	€ 164,90	100 kg
0200	HEAM0200	HEA balk 200 mm gemenied	S235JR EN10025-2/EN10034	18.000	43,20	kg/m	€ 164,90	100 kg
0200	HEAM0220	HEA balk 220 mm gemenied	S235JR EN10025-2/EN10034	6.000	51,50	kg/m	€ 163,90	100 kg
0200	HEAM0220	HEA balk 220 mm gemenied	S235JR EN10025-2/EN10034	12.000	51,50	kg/m	€ 163,90	100 kg
0200	HEAM0220	HEA balk 220 mm gemenied	S235JR EN10025-2/EN10034	15.000	51,50	kg/m	€ 163,90	100 kg
0200	HEAM0220	HEA balk 220 mm gemenied	S235JR EN10025-2/EN10034	18.000	51,50	kg/m	€ 163,90	100 kg
0200	HEAM0240	HEA balk 240 mm gemenied	S235JR EN10025-2/EN10034	6.000	61,50	kg/m	€ 162,50	100 kg
0200	HEAM0240	HEA balk 240 mm gemenied	S235JR EN10025-2/EN10034	12.000	61,50	kg/m	€ 162,50	100 kg
0200	HEAM0240	HEA balk 240 mm gemenied	S235JR EN10025-2/EN10034	15.000	61,50	kg/m	€ 162,50	100 kg
0200	HEAM0240	HEA balk 240 mm gemenied	S235JR EN10025-2/EN10034	18.000	61,50	kg/m	€ 162,50	100 kg
0200	HEAM0260	HEA balk 260 mm gemenied	S235JR EN10025-2/EN10034	6.000	69,50	kg/m	€ 163,20	100 kg
0200	HEAM0260	HEA balk 260 mm gemenied	S235JR EN10025-2/EN10034	12.000	69,50	kg/m	€ 163,20	100 kg
0200	HEAM0260	HEA balk 260 mm gemenied	S235JR EN10025-2/EN10034	15.000	69,50	kg/m	€ 163,20	100 kg
0200	HEAM0260	HEA balk 260 mm gemenied	S235JR EN10025-2/EN10034	18.000	69,50	kg/m	€ 163,20	100 kg
0200	HEAM0280	HEA balk 280 mm gemenied	S235JR EN10025-2/EN10034	6.000	77,90	kg/m	€ 163,20	100 kg
0200	HEAM0280	HEA balk 280 mm gemenied	S235JR EN10025-2/EN10034	12.000	77,90	kg/m	€ 163,20	100 kg
0200	HEAM0280	HEA balk 280 mm gemenied	S235JR EN10025-2/EN10034	18.000	77,90	kg/m	€ 163,20	100 kg
0200	HEAM0300	HEA balk 300 mm gemenied	S235JR EN10025-2/EN10034	6.000	90,00	kg/m	€ 155,50	100 kg
0200	HEAM0300	HEA balk 300 mm gemenied	S235JR EN10025-2/EN10034	12.000	90,00	kg/m	€ 155,50	100 kg

Groep	Profiel code	Omschrijving	Kwaliteit extern	Lengte	Gewicht	Eenh.gew.	Basisprijs	Eenheid
0200	HEAT0140	HEA balk 140 mm Verzinkt	S235JR EN10025-2/EN10034	6.000	26,70	kg/m	€ 172,00	100 kg
0200	HEAT0140	HEA balk 140 mm Verzinkt	S235JR EN10025-2/EN10034	15.000	26,70	kg/m	€ 172,00	100 kg

Groep	Profiel code	Omschrijving	Kwaliteit extern	Lengte	Gewicht	Eenh.gew.	Basisprijs	Eenheid
0200	HEB0100	HEB balk 100 mm	S235JR EN10025-2/EN10034	6.000	20,80	kg/m	€ 151,50	100 kg
0200	HEB0100	HEB balk 100 mm	S235JR EN10025-2/EN10034	12.000	20,80	kg/m	€ 151,50	100 kg
0200	HEB0100	HEB balk 100 mm	S235JR EN10025-2/EN10034	15.000	20,80	kg/m	€ 151,50	100 kg
0200	HEB0100	HEB balk 100 mm	S235JR EN10025-2/EN10034	18.000	20,80	kg/m	€ 151,50	100 kg
0200	HEB0120	HEB balk 120 mm	S235JR EN10025-2/EN10034	6.000	27,30	kg/m	€ 151,50	100 kg
0200	HEB0120	HEB balk 120 mm	S235JR EN10025-2/EN10034	12.000	27,30	kg/m	€ 151,50	100 kg
0200	HEB0120	HEB balk 120 mm	S235JR EN10025-2/EN10034	15.000	27,30	kg/m	€ 151,50	100 kg
0200	HEB0120	HEB balk 120 mm	S235JR EN10025-2/EN10034	18.000	27,30	kg/m	€ 151,50	100 kg

0200	HEB0140	HEB balk 140 mm	S235JR EN10025-2/EN10034	6.000	34,40	kg/m	€	151,00	100 kg
0200	HEB0140	HEB balk 140 mm	S235JR EN10025-2/EN10034	12.000	34,40	kg/m	€	151,00	100 kg
0200	HEB0140	HEB balk 140 mm	S235JR EN10025-2/EN10034	15.000	34,40	kg/m	€	151,00	100 kg
0200	HEB0140	HEB balk 140 mm	S235JR EN10025-2/EN10034	18.000	34,40	kg/m	€	151,00	100 kg
0200	HEB0160	HEB balk 160 mm	S235JR EN10025-2/EN10034	6.000	43,50	kg/m	€	151,00	100 kg
0200	HEB0160	HEB balk 160 mm	S235JR EN10025-2/EN10034	12.000	43,50	kg/m	€	151,00	100 kg
0200	HEB0160	HEB balk 160 mm	S235JR EN10025-2/EN10034	14.000	43,50	kg/m	€	151,00	100 kg
0200	HEB0160	HEB balk 160 mm	S235JR EN10025-2/EN10034	15.000	43,50	kg/m	€	151,00	100 kg
0200	HEB0160	HEB balk 160 mm	S235JR EN10025-2/EN10034	18.000	43,50	kg/m	€	151,00	100 kg
0200	HEB0180	HEB balk 180 mm	S235JR EN10025-2/EN10034	6.000	52,20	kg/m	€	151,00	100 kg
0200	HEB0180	HEB balk 180 mm	S235JR EN10025-2/EN10034	12.000	52,20	kg/m	€	151,00	100 kg
0200	HEB0180	HEB balk 180 mm	S235JR EN10025-2/EN10034	18.000	52,20	kg/m	€	151,00	100 kg
0200	HEB0200	HEB balk 200 mm	S235JR EN10025-2/EN10034	6.000	62,50	kg/m	€	152,50	100 kg
0200	HEB0200	HEB balk 200 mm	S235JR EN10025-2/EN10034	12.000	62,50	kg/m	€	152,50	100 kg
0200	HEB0200	HEB balk 200 mm	S235JR EN10025-2/EN10034	18.000	62,50	kg/m	€	152,50	100 kg
0200	HEB0220	HEB balk 220 mm	S235JR EN10025-2/EN10034	6.000	72,80	kg/m	€	153,00	100 kg
0200	HEB0220	HEB balk 220 mm	S235JR EN10025-2/EN10034	12.000	72,80	kg/m	€	153,00	100 kg
0200	HEB0220	HEB balk 220 mm	S235JR EN10025-2/EN10034	18.000	72,80	kg/m	€	153,00	100 kg
0200	HEB0240	HEB balk 240 mm	S235JR EN10025-2/EN10060	6.000	84,80	kg/m	€	154,00	100 kg
0200	HEB0240	HEB balk 240 mm	S235JR EN10025-2/EN10060	12.000	84,80	kg/m	€	154,00	100 kg
0200	HEB0240	HEB balk 240 mm	S235JR EN10025-2/EN10060	15.000	84,80	kg/m	€	154,00	100 kg
0200	HEB0240	HEB balk 240 mm	S235JR EN10025-2/EN10060	18.000	84,80	kg/m	€	154,00	100 kg
0200	HEB0260	HEB balk 260 mm	S235JR EN10025-2/EN10034	6.000	94,80	kg/m	€	155,50	100 kg
0200	HEB0260	HEB balk 260 mm	S235JR EN10025-2/EN10034	12.000	94,80	kg/m	€	155,50	100 kg
0200	HEB0260	HEB balk 260 mm	S235JR EN10025-2/EN10034	18.000	94,80	kg/m	€	155,50	100 kg
0200	HEB0280	HEB balk 280 mm	S235JR EN10025-2/EN10034	6.000	105,00	kg/m	€	155,50	100 kg
0200	HEB0280	HEB balk 280 mm	S235JR EN10025-2/EN10034	12.000	105,00	kg/m	€	155,50	100 kg
0200	HEB0280	HEB balk 280 mm	S235JR EN10025-2/EN10034	15.000	105,00	kg/m	€	155,50	100 kg
0200	HEB0300	HEB balk 300 mm	S235JR EN10025-2/EN10034	6.000	119,00	kg/m	€	154,00	100 kg
0200	HEB0300	HEB balk 300 mm	S235JR EN10025-2/EN10034	12.000	119,00	kg/m	€	154,00	100 kg
0200	HEB0300	HEB balk 300 mm	S235JR EN10025-2/EN10034	18.000	119,00	kg/m	€	154,00	100 kg
0200	HEB0320	HEB balk 320 mm	S235JR EN10025-2/EN10060	12.000	129,00	kg/m	€	163,00	100 kg
0200	HEB0360	HEB balk 360 mm	S235JR EN10025-2/EN10060	12.000	144,80	kg/m	€	158,00	100 kg

0200	HEB0400	HEB balk 400 mm	S235JR EN10025-2/EN10060	12.000	158,00	kg/m	€ 166,00	100 kg
0200	HEBM0100	HEB balk 100 mm gemenied	S235JR EN10025-2/EN10034	6.000	20,80	kg/m	€ 163,60	100 kg
0200	HEBM0100	HEB balk 100 mm gemenied	S235JR EN10025-2/EN10034	12.000	20,80	kg/m	€ 163,60	100 kg
0200	HEBM0100	HEB balk 100 mm gemenied	S235JR EN10025-2/EN10034	15.000	20,80	kg/m	€ 163,60	100 kg
0200	HEBM0120	HEB balk 120 mm gemenied	S235JR EN10025-2/EN10034	6.000	27,30	kg/m	€ 151,50	100 kg
0200	HEBM0120	HEB balk 120 mm gemenied	S235JR EN10025-2/EN10034	12.000	27,30	kg/m	€ 151,50	100 kg
0200	HEBM0120	HEB balk 120 mm gemenied	S235JR EN10025-2/EN10034	15.000	27,30	kg/m	€ 151,50	100 kg
0200	HEBM0140	HEB balk 140 mm gemenied	S235JR EN10025-2/EN10034	6.000	34,40	kg/m	€ 161,30	100 kg
0200	HEBM0140	HEB balk 140 mm gemenied	S235JR EN10025-2/EN10034	12.000	34,40	kg/m	€ 161,30	100 kg
0200	HEBM0140	HEB balk 140 mm gemenied	S235JR EN10025-2/EN10034	15.000	34,40	kg/m	€ 161,30	100 kg
0200	HEBM0140	HEB balk 140 mm gemenied	S235JR EN10025-2/EN10034	18.000	34,40	kg/m	€ 161,30	100 kg
0200	HEBM0160	HEB balk 160 mm gemenied	S235JR EN10025-2/EN10034	6.000	43,50	kg/m	€ 160,40	100 kg
0200	HEBM0160	HEB balk 160 mm gemenied	S235JR EN10025-2/EN10034	12.000	43,50	kg/m	€ 160,40	100 kg
0200	HEBM0160	HEB balk 160 mm gemenied	S235JR EN10025-2/EN10034	15.000	43,50	kg/m	€ 160,40	100 kg
0200	HEBM0160	HEB balk 160 mm gemenied	S235JR EN10025-2/EN10034	18.000	43,50	kg/m	€ 160,40	100 kg
0200	HEBM0180	HEB balk 180 mm gemenied	S235JR EN10025-2/EN10034	6.000	52,20	kg/m	€ 159,90	100 kg
0200	HEBM0180	HEB balk 180 mm gemenied	S235JR EN10025-2/EN10034	12.000	52,20	kg/m	€ 159,90	100 kg
0200	HEBM0180	HEB balk 180 mm gemenied	S235JR EN10025-2/EN10034	15.000	52,20	kg/m	€ 159,90	100 kg
0200	HEBM0180	HEB balk 180 mm gemenied	S235JR EN10025-2/EN10034	18.000	52,20	kg/m	€ 159,90	100 kg
0200	HEBM0200	HEB balk 200 mm gemenied	S235JR EN10025-2/EN10034	6.000	62,50	kg/m	€ 160,70	100 kg
0200	HEBM0200	HEB balk 200 mm gemenied	S235JR EN10025-2/EN10034	12.000	62,50	kg/m	€ 160,70	100 kg
0200	HEBM0200	HEB balk 200 mm gemenied	S235JR EN10025-2/EN10034	15.000	62,50	kg/m	€ 160,70	100 kg
0200	HEBM0200	HEB balk 200 mm gemenied	S235JR EN10025-2/EN10034	18.000	62,50	kg/m	€ 160,70	100 kg
0200	HEBM0220	HEB balk 220 mm gemenied	S235JR EN10025-2/EN10034	12.000	72,80	kg/m	€ 163,00	100 kg
0200	HEBM0220	HEB balk 220 mm gemenied	S235JR EN10025-2/EN10034	15.000	72,80	kg/m	€ 163,00	100 kg
0200	HEBM0220	HEB balk 220 mm gemenied	S235JR EN10025-2/EN10034	18.000	72,80	kg/m	€ 163,00	100 kg
0200	HEBM0240	HEB balk 240 mm gemenied	S235JR EN10025-2/EN10034	12.000	84,80	kg/m	€ 163,50	100 kg
0200	HEBM0240	HEB balk 240 mm gemenied	S235JR EN10025-2/EN10034	15.000	84,80	kg/m	€ 163,50	100 kg
0200	HEBM0240	HEB balk 240 mm gemenied	S235JR EN10025-2/EN10034	18.000	84,80	kg/m	€ 163,50	100 kg
0200	HEBM0260	HEB balk 260 mm gemenied	S235JR EN10025-2/EN10034	6.000	94,80	kg/m	€ 165,00	100 kg
0200	HEBM0320	HEB balk 320 mm gemenied	S235JR EN10025-2/EN10034	12.000	129,00	kg/m	€ 169,00	100 kg

Groep	Profiel code	Omschrijving	Kwaliteit extern	Lengte	Gewicht	Eenh.gew.	Basisprijs	Einheid
-------	--------------	--------------	------------------	--------	---------	-----------	------------	---------

0200	HEM0140	HEM balk 140 mm	S235JR EN10025-2/EN10034	6.000	64,50	kg/m	€ 170,00	100 kg
0200	HEM0140	HEM balk 140 mm	S235JR EN10025-2/EN10034	12.000	64,50	kg/m	€ 170,00	100 kg
0200	HEM0160	HEM balk 160 mm	S235JR EN10025-2/EN10034	12.000	77,80	kg/m	€ 163,00	100 kg
0200	HEM0180	HEM balk 180 mm	S235JR EN10025-2/EN10034	12.000	90,60	kg/m	€ 231,50	100 kg
0200	HEM0260	HEM balk 260 mm	S235JR EN10025-2/EN10034	12.000	176,00	kg/m	€ 171,50	100 kg
0200	HEM0300	HEM balk 300 mm	S235JR EN10025-2/EN10034	12.000	242,60	kg/m	€ 151,50	100 kg

Groep	Profiel code	Omschrijving	Kwaliteit extern	Lengte	Gewicht	Eenh.gew.	Basisprijs	Eenheid
0200	INP0120	INP balk 120 mm	S235JR EN10025-2/EN10034	6.000	11,30	kg/m	€ 203,50	100 kg
0200	INP0120	INP balk 120 mm	S235JR EN10025-2/EN10034	12.000	11,30	kg/m	€ 203,50	100 kg
0200	INP0140	INP balk 140 mm	S235JR EN10025-2/EN10034	6.000	14,60	kg/m	€ 187,50	100 kg
0200	INP0180	INP balk 180 mm	S235JR EN10025-2/EN10034	6.000	22,30	kg/m	€ 187,50	100 kg
0200	INP0200	INP balk 200 mm	S235JR EN10025-2/EN10034	6.000	26,70	kg/m	€ 187,00	100 kg
0200	INP0220	INP balk 220 mm	S235JR EN10025-2/EN10034	6.000	31,60	kg/m	€ 205,00	100 kg
0200	INP0220	INP balk 220 mm	S235JR EN10025-2/EN10034	12.000	31,60	kg/m	€ 205,00	100 kg
0200	INP0240	INP balk 240 mm	S235JR EN10025-2/EN10034	12.000	36,90	kg/m	€ 187,00	100 kg
0200	INP0260	INP balk 260 mm	S235JR EN10025-2/EN10034	12.000	42,70	kg/m	€ 205,00	100 kg

Groep	Profiel code	Omschrijving	Kwaliteit extern	Lengte	Gewicht	Eenh.gew.	Basisprijs	Eenheid
0200	IPE080	IPE balk 80 mm	S235JR EN10025-2/EN10034	6.000	6,20	kg/m	€ 152,00	100 kg
0200	IPE080	IPE balk 80 mm	S235JR EN10025-2/EN10034	12.000	6,20	kg/m	€ 152,00	100 kg
0200	IPE080	IPE balk 80 mm	S235JR EN10025-2/EN10034	15.000	6,20	kg/m	€ 152,00	100 kg
0200	IPE100	IPE balk 100 mm	S235JR EN10025-2/EN10034	6.000	8,30	kg/m	€ 151,00	100 kg
0200	IPE100	IPE balk 100 mm	S235JR EN10025-2/EN10034	12.000	8,30	kg/m	€ 151,00	100 kg
0200	IPE100	IPE balk 100 mm	S235JR EN10025-2/EN10034	14.000	8,30	kg/m	€ 151,00	100 kg
0200	IPE100	IPE balk 100 mm	S235JR EN10025-2/EN10034	15.000	8,30	kg/m	€ 151,00	100 kg
0200	IPE100	IPE balk 100 mm	S235JR EN10025-2/EN10034	18.000	8,30	kg/m	€ 151,00	100 kg
0200	IPE120	IPE balk 120 mm	S235JR EN10025-2/EN10034	6.000	10,60	kg/m	€ 151,00	100 kg
0200	IPE120	IPE balk 120 mm	S235JR EN10025-2/EN10034	12.000	10,60	kg/m	€ 151,00	100 kg
0200	IPE120	IPE balk 120 mm	S235JR EN10025-2/EN10034	15.000	10,60	kg/m	€ 151,00	100 kg
0200	IPE120	IPE balk 120 mm	S235JR EN10025-2/EN10034	18.000	10,60	kg/m	€ 151,00	100 kg
0200	IPE140	IPE balk 140 mm	S235JR EN10025-2/EN10034	6.000	13,20	kg/m	€ 151,00	100 kg
0200	IPE140	IPE balk 140 mm	S235JR EN10025-2/EN10034	12.000	13,20	kg/m	€ 151,00	100 kg

0200	IPE140	IPE balk 140 mm	S235JR EN10025-2/EN10034	14.000	13,20	kg/m	€	151,00	100 kg
0200	IPE140	IPE balk 140 mm	S235JR EN10025-2/EN10034	15.000	13,20	kg/m	€	151,00	100 kg
0200	IPE140	IPE balk 140 mm	S235JR EN10025-2/EN10034	18.000	13,20	kg/m	€	151,00	100 kg
0200	IPE160	IPE balk 160 mm	S235JR EN10025-2/EN10034	6.000	16,10	kg/m	€	150,00	100 kg
0200	IPE160	IPE balk 160 mm	S235JR EN10025-2/EN10034	12.000	16,10	kg/m	€	150,00	100 kg
0200	IPE160	IPE balk 160 mm	S235JR EN10025-2/EN10034	15.000	16,10	kg/m	€	150,00	100 kg
0200	IPE160	IPE balk 160 mm	S235JR EN10025-2/EN10034	18.000	16,10	kg/m	€	150,00	100 kg
0200	IPE180	IPE balk 180 mm	S235JR EN10025-2/EN10034	6.000	19,20	kg/m	€	150,00	100 kg
0200	IPE180	IPE balk 180 mm	S235JR EN10025-2/EN10034	12.000	19,20	kg/m	€	150,00	100 kg
0200	IPE180	IPE balk 180 mm	S235JR EN10025-2/EN10034	15.000	19,20	kg/m	€	150,00	100 kg
0200	IPE180	IPE balk 180 mm	S235JR EN10025-2/EN10034	18.000	19,20	kg/m	€	150,00	100 kg
0200	IPE200	IPE balk 200 mm	S235JR EN10025-2/EN10034	6.000	22,90	kg/m	€	150,00	100 kg
0200	IPE200	IPE balk 200 mm	S235JR EN10025-2/EN10034	12.000	22,90	kg/m	€	150,00	100 kg
0200	IPE200	IPE balk 200 mm	S235JR EN10025-2/EN10034	15.000	22,90	kg/m	€	150,00	100 kg
0200	IPE200	IPE balk 200 mm	S235JR EN10025-2/EN10034	18.000	22,90	kg/m	€	150,00	100 kg
0200	IPE220	IPE balk 220 mm	S235JR EN10025-2/EN10034	12.000	26,70	kg/m	€	150,00	100 kg
0200	IPE220	IPE balk 220 mm	S235JR EN10025-2/EN10034	15.000	26,70	kg/m	€	150,00	100 kg
0200	IPE220	IPE balk 220 mm	S235JR EN10025-2/EN10034	18.000	26,70	kg/m	€	150,00	100 kg
0200	IPE240	IPE balk 240 mm	S235JR EN10025-2/EN10034	6.000	31,30	kg/m	€	152,00	100 kg
0200	IPE240	IPE balk 240 mm	S235JR EN10025-2/EN10034	12.000	31,30	kg/m	€	152,00	100 kg
0200	IPE240	IPE balk 240 mm	S235JR EN10025-2/EN10034	18.000	31,30	kg/m	€	152,00	100 kg
0200	IPE270	IPE balk 270 mm	S235JR EN10025-2/EN10034	6.000	36,80	kg/m	€	152,00	100 kg
0200	IPE270	IPE balk 270 mm	S235JR EN10025-2/EN10034	12.000	36,80	kg/m	€	152,00	100 kg
0200	IPE270	IPE balk 270 mm	S235JR EN10025-2/EN10034	15.000	36,80	kg/m	€	152,00	100 kg
0200	IPE270	IPE balk 270 mm	S235JR EN10025-2/EN10034	18.000	36,80	kg/m	€	152,00	100 kg
0200	IPE300	IPE balk 300 mm	S235JR EN10025-2/EN10034	6.000	43,10	kg/m	€	152,00	100 kg
0200	IPE300	IPE balk 300 mm	S235JR EN10025-2/EN10034	12.000	43,10	kg/m	€	152,00	100 kg
0200	IPE300	IPE balk 300 mm	S235JR EN10025-2/EN10034	18.000	43,10	kg/m	€	152,00	100 kg
0200	IPE330	IPE balk 330 mm	S235JR EN10025-2/EN10034	6.000	50,10	kg/m	€	154,00	100 kg
0200	IPE330	IPE balk 330 mm	S235JR EN10025-2/EN10034	12.000	50,10	kg/m	€	154,00	100 kg
0200	IPE330	IPE balk 330 mm	S235JR EN10025-2/EN10034	18.000	50,10	kg/m	€	154,00	100 kg
0200	IPE360	IPE balk 360 mm	S235JR EN10025-2/EN10034	6.000	58,20	kg/m	€	154,00	100 kg
0200	IPE360	IPE balk 360 mm	S235JR EN10025-2/EN10034	12.000	58,20	kg/m	€	154,00	100 kg

0200	IPE400	IPE balk 400 mm	S235JR EN10025-2/EN10034	6.000	67,60	kg/m	€	154,00	100 kg
0200	IPE400	IPE balk 400 mm	S235JR EN10025-2/EN10034	12.000	67,60	kg/m	€	154,00	100 kg
0200	IPE400	IPE balk 400 mm	S235JR EN10025-2/EN10034	18.000	67,60	kg/m	€	154,00	100 kg
0200	IPE450	IPE balk 450 mm	S235JR EN10025-2/EN10034	12.000	79,10	kg/m	€	196,50	100 kg
0200	IPEM080	IPE balk 80 mm gemenied	S235JR EN10025-2/EN10034	6.000	6,20	kg/m	€	170,45	100 kg
0200	IPEM080	IPE balk 80 mm gemenied	S235JR EN10025-2/EN10034	12.000	6,20	kg/m	€	170,45	100 kg
0200	IPEM100	IPE balk 100 mm gemenied	S235JR EN10025-2/EN10034	6.000	8,30	kg/m	€	170,45	100 kg
0200	IPEM100	IPE balk 100 mm gemenied	S235JR EN10025-2/EN10034	12.000	8,30	kg/m	€	170,45	100 kg
0200	IPEM100	IPE balk 100 mm gemenied	S235JR EN10025-2/EN10034	14.000	8,30	kg/m	€	170,45	100 kg
0200	IPEM100	IPE balk 100 mm gemenied	S235JR EN10025-2/EN10034	15.000	8,30	kg/m	€	170,45	100 kg
0200	IPEM120	IPE balk 120 mm gemenied	S235JR EN10025-2/EN10034	6.000	10,60	kg/m	€	168,90	100 kg
0200	IPEM120	IPE balk 120 mm gemenied	S235JR EN10025-2/EN10034	12.000	10,60	kg/m	€	168,90	100 kg
0200	IPEM120	IPE balk 120 mm gemenied	S235JR EN10025-2/EN10034	15.000	10,60	kg/m	€	168,90	100 kg
0200	IPEM140	IPE balk 140 mm gemenied	S235JR EN10025-2/EN10034	6.000	13,20	kg/m	€	164,50	100 kg
0200	IPEM140	IPE balk 140 mm gemenied	S235JR EN10025-2/EN10034	12.000	13,20	kg/m	€	164,50	100 kg
0200	IPEM140	IPE balk 140 mm gemenied	S235JR EN10025-2/EN10034	14.000	13,20	kg/m	€	164,50	100 kg
0200	IPEM140	IPE balk 140 mm gemenied	S235JR EN10025-2/EN10034	15.000	13,20	kg/m	€	164,50	100 kg
0200	IPEM160	IPE balk 160 mm gemenied	S235JR EN10025-2/EN10034	6.000	16,10	kg/m	€	163,10	100 kg
0200	IPEM160	IPE balk 160 mm gemenied	S235JR EN10025-2/EN10034	12.000	16,10	kg/m	€	163,10	100 kg
0200	IPEM160	IPE balk 160 mm gemenied	S235JR EN10025-2/EN10034	14.000	16,10	kg/m	€	163,10	100 kg
0200	IPEM160	IPE balk 160 mm gemenied	S235JR EN10025-2/EN10034	15.000	16,10	kg/m	€	163,10	100 kg
0200	IPEM160	IPE balk 160 mm gemenied	S235JR EN10025-2/EN10034	18.000	16,10	kg/m	€	163,10	100 kg
0200	IPEM180	IPE balk 180 mm gemenied	S235JR EN10025-2/EN10034	6.000	19,20	kg/m	€	164,30	100 kg
0200	IPEM180	IPE balk 180 mm gemenied	S235JR EN10025-2/EN10034	12.000	19,20	kg/m	€	164,30	100 kg
0200	IPEM180	IPE balk 180 mm gemenied	S235JR EN10025-2/EN10034	15.000	19,20	kg/m	€	164,30	100 kg
0200	IPEM180	IPE balk 180 mm gemenied	S235JR EN10025-2/EN10034	18.000	19,20	kg/m	€	164,30	100 kg
0200	IPEM200	IPE balk 200 mm gemenied	S235JR EN10025-2/EN10034	6.000	22,90	kg/m	€	163,10	100 kg
0200	IPEM200	IPE balk 200 mm gemenied	S235JR EN10025-2/EN10034	12.000	22,90	kg/m	€	163,10	100 kg
0200	IPEM200	IPE balk 200 mm gemenied	S235JR EN10025-2/EN10034	15.000	22,90	kg/m	€	163,10	100 kg
0200	IPEM200	IPE balk 200 mm gemenied	S235JR EN10025-2/EN10034	18.000	22,90	kg/m	€	163,10	100 kg
0200	IPEM220	IPE balk 220 mm gemenied	S235JR EN10025-2/EN10034	6.000	26,70	kg/m	€	155,00	100 kg
0200	IPEM220	IPE balk 220 mm gemenied	S235JR EN10025-2/EN10034	12.000	26,70	kg/m	€	155,00	100 kg
0200	IPEM220	IPE balk 220 mm gemenied	S235JR EN10025-2/EN10034	15.000	26,70	kg/m	€	155,00	100 kg

0200	IPEM220	IPE balk 220 mm gemenied	S235JR EN10025-2/EN10034	18.000	26,70	kg/m	€ 155,00	100 kg
0200	IPEM240	IPE balk 240 mm gemenied	S235JR EN10025-2/EN10034	6.000	31,30	kg/m	€ 152,00	100 kg
0200	IPEM240	IPE balk 240 mm gemenied	S235JR EN10025-2/EN10034	12.000	31,30	kg/m	€ 152,00	100 kg
0200	IPEM240	IPE balk 240 mm gemenied	S235JR EN10025-2/EN10034	15.000	31,30	kg/m	€ 152,00	100 kg
0200	IPEM240	IPE balk 240 mm gemenied	S235JR EN10025-2/EN10034	18.000	31,30	kg/m	€ 152,00	100 kg
0200	IPEM300	IPE balk 300 mm gemenied	S235JR EN10025-2/EN10034	12.000	43,10	kg/m	€ 152,00	100 kg
0200	IPEM300	IPE balk 300 mm gemenied	S235JR EN10025-2/EN10034	15.000	43,10	kg/m	€ 152,00	100 kg
0200	IPEM300	IPE balk 300 mm gemenied	S235JR EN10025-2/EN10034	18.000	43,10	kg/m	€ 152,00	100 kg

Groep	Profiel code	Omschrijving	Kwaliteit extern	Lengte	Gewicht	Eenh.gew.	Basisprijs	Eenheid
0200	QHEB120	HEB balk 120 mm	S355J2 EN10025-2/EN10279	12.000	27,20	kg/m	€ 174,00	100 kg
0200	QHEB280	HEB balk 280 mm	S355J2 EN10025-2/EN10279	12.000	105,00	kg/m	€ 190,00	100 kg
0200	QHEB360	HEB balk 360 mm	S355J2 EN10025-2/EN10279	12.000	145,00	kg/m	€ 181,50	100 kg

Groep	Profiel code	Omschrijving	Kwaliteit extern	Lengte	Gewicht	Eenh.gew.	Basisprijs	Eenheid
0200	QIPE200	IPE balk 200 mm	S355J2 EN10025-2/EN10034	12.000	22,90	kg/m	€ 180,00	100 kg
0200	QIPE220	IPE balk 220 mm	S355J2 EN10025-2/EN10034	12.000	26,70	kg/m	€ 174,00	100 kg

Groep	Profiel code	Omschrijving	Kwaliteit extern	Lengte	Gewicht	Eenh.gew.	Basisprijs	Eenheid
0200	QUNP080	UNP balk 80 mm	S355J2 EN10025-2/EN10279	6.000	8,90	kg/m	€ 151,00	100 kg
0200	QUNP140	UNP balk 140 mm	S355J2 EN10025-2/EN10279	12.000	16,30	kg/m	€ 194,00	100 kg
0200	QUNP300	UNP balk 300 mm	S355J2 EN10025-2/EN10279	15.000	47,10	kg/m	€ 153,00	100 kg

Groep	Profiel code	Omschrijving	Kwaliteit extern	Lengte	Gewicht	Eenh.gew.	Basisprijs	Eenheid
0200	UNP080	UNP balk 80 mm	S235JR EN10025-2/EN10279	6.000	8,90	kg/m	€ 151,00	100 kg
0200	UNP080	UNP balk 80 mm	S235JR EN10025-2/EN10279	12.000	8,90	kg/m	€ 151,00	100 kg
0200	UNP100	UNP balk 100 mm	S235JR EN10025-2/EN10279	6.000	10,80	kg/m	€ 151,00	100 kg
0200	UNP100	UNP balk 100 mm	S235JR EN10025-2/EN10279	12.000	10,80	kg/m	€ 151,00	100 kg
0200	UNP100	UNP balk 100 mm	S235JR EN10025-2/EN10279	18.000	10,80	kg/m	€ 151,00	100 kg
0200	UNP120	UNP balk 120 mm	S235JR EN10025-2/EN10279	6.000	13,70	kg/m	€ 151,00	100 kg
0200	UNP120	UNP balk 120 mm	S235JR EN10025-2/EN10279	12.000	13,70	kg/m	€ 151,00	100 kg
0200	UNP120	UNP balk 120 mm	S235JR EN10025-2/EN10279	15.000	13,70	kg/m	€ 151,00	100 kg
0200	UNP120	UNP balk 120 mm	S235JR EN10025-2/EN10279	18.000	13,70	kg/m	€ 151,00	100 kg

0200	UNP140	UNP balk 140 mm	S235JR EN10025-2/EN10279	6.000	16,40	kg/m	€	151,00	100 kg
0200	UNP140	UNP balk 140 mm	S235JR EN10025-2/EN10279	12.000	16,40	kg/m	€	151,00	100 kg
0200	UNP140	UNP balk 140 mm	S235JR EN10025-2/EN10279	15.000	16,40	kg/m	€	151,00	100 kg
0200	UNP140	UNP balk 140 mm	S235JR EN10025-2/EN10279	18.000	16,40	kg/m	€	151,00	100 kg
0200	UNP160	UNP balk 160 mm	S235JR EN10025-2/EN10279	6.000	19,20	kg/m	€	151,00	100 kg
0200	UNP160	UNP balk 160 mm	S235JR EN10025-2/EN10279	12.000	19,20	kg/m	€	151,00	100 kg
0200	UNP160	UNP balk 160 mm	S235JR EN10025-2/EN10279	15.000	19,20	kg/m	€	151,00	100 kg
0200	UNP160	UNP balk 160 mm	S235JR EN10025-2/EN10279	18.000	19,20	kg/m	€	151,00	100 kg
0200	UNP180	UNP balk 180 mm	S235JR EN10025-2/EN10279	6.000	22,50	kg/m	€	152,00	100 kg
0200	UNP180	UNP balk 180 mm	S235JR EN10025-2/EN10279	12.000	22,50	kg/m	€	152,00	100 kg
0200	UNP180	UNP balk 180 mm	S235JR EN10025-2/EN10279	18.000	22,50	kg/m	€	152,00	100 kg
0200	UNP200	UNP balk 200 mm	S235JR EN10025-2/EN10279	6.000	25,80	kg/m	€	151,00	100 kg
0200	UNP200	UNP balk 200 mm	S235JR EN10025-2/EN10279	12.000	25,80	kg/m	€	151,00	100 kg
0200	UNP200	UNP balk 200 mm	S235JR EN10025-2/EN10279	15.000	25,80	kg/m	€	151,00	100 kg
0200	UNP200	UNP balk 200 mm	S235JR EN10025-2/EN10279	18.000	25,80	kg/m	€	151,00	100 kg
0200	UNP220	UNP balk 220 mm	S235JR EN10025-2/EN10279	12.000	30,00	kg/m	€	152,00	100 kg
0200	UNP220	UNP balk 220 mm	S235JR EN10025-2/EN10279	15.000	30,00	kg/m	€	152,00	100 kg
0200	UNP220	UNP balk 220 mm	S235JR EN10025-2/EN10279	18.000	30,00	kg/m	€	152,00	100 kg
0200	UNP240	UNP balk 240 mm	S235JR EN10025-2/EN10279	12.000	33,90	kg/m	€	153,00	100 kg
0200	UNP240	UNP balk 240 mm	S235JR EN10025-2/EN10279	15.000	33,90	kg/m	€	153,00	100 kg
0200	UNP240	UNP balk 240 mm	S235JR EN10025-2/EN10279	18.000	33,90	kg/m	€	153,00	100 kg
0200	UNP260	UNP balk 260 mm	S235JR EN10025-2/EN10279	12.000	38,70	kg/m	€	154,00	100 kg
0200	UNP260	UNP balk 260 mm	S235JR EN10025-2/EN10279	14.000	38,70	kg/m	€	154,00	100 kg
0200	UNP260	UNP balk 260 mm	S235JR EN10025-2/EN10279	15.100	38,70	kg/m	€	154,00	100 kg
0200	UNP260	UNP balk 260 mm	S235JR EN10025-2/EN10279	18.000	38,70	kg/m	€	154,00	100 kg
0200	UNP300	UNP balk 300 mm	S235JR EN10025-2/EN10279	12.000	47,10	kg/m	€	153,00	100 kg
0200	UNP300	UNP balk 300 mm	S235JR EN10025-2/EN10279	18.000	47,10	kg/m	€	153,00	100 kg
0200	UNP400	UNP balk 400 mm	S235JR EN10025-2/EN10279	12.000	73,20	kg/m	€	156,00	100 kg
0200	UNPM0100	UNP balk 100 mm gemenied	S235JR EN10025-2/EN10279	6.000	10,80	kg/m	€	166,30	100 kg
0200	UNPM0100	UNP balk 100 mm gemenied	S235JR EN10025-2/EN10279	12.000	10,80	kg/m	€	166,30	100 kg
0200	UNPM0100	UNP balk 100 mm gemenied	S235JR EN10025-2/EN10279	15.000	10,80	kg/m	€	166,30	100 kg
0200	UNPM0120	UNP balk 120 mm gemenied	S235JR EN10025-2/EN10279	6.000	13,70	kg/m	€	165,00	100 kg
0200	UNPM0120	UNP balk 120 mm gemenied	S235JR EN10025-2/EN10279	12.000	13,70	kg/m	€	165,00	100 kg

0200	UNPM0120	UNP balk 120 mm gemenied	S235JR EN10025-2/EN10279	15.000	13,70	kg/m	€ 165,00	100 kg
0200	UNPM0140	UNP balk 140 mm gemenied	S235JR EN10025-2/EN10279	6.000	16,40	kg/m	€ 164,20	100 kg
0200	UNPM0140	UNP balk 140 mm gemenied	S235JR EN10025-2/EN10279	12.000	16,40	kg/m	€ 164,20	100 kg
0200	UNPM0140	UNP balk 140 mm gemenied	S235JR EN10025-2/EN10279	15.000	16,40	kg/m	€ 164,20	100 kg
0200	UNPM0160	UNP balk 160 mm gemenied	S235JR EN10025-2/EN10279	6.000	19,20	kg/m	€ 163,60	100 kg
0200	UNPM0160	UNP balk 160 mm gemenied	S235JR EN10025-2/EN10279	12.000	19,20	kg/m	€ 163,60	100 kg
0200	UNPM0160	UNP balk 160 mm gemenied	S235JR EN10025-2/EN10279	15.000	19,20	kg/m	€ 163,60	100 kg
0200	UNPM0180	UNP balk 180 mm gemenied	S235JR EN10025-2/EN10279	6.000	22,50	kg/m	€ 164,00	100 kg
0200	UNPM0180	UNP balk 180 mm gemenied	S235JR EN10025-2/EN10279	12.000	22,50	kg/m	€ 164,00	100 kg
0200	UNPM0180	UNP balk 180 mm gemenied	S235JR EN10025-2/EN10279	15.000	22,50	kg/m	€ 164,00	100 kg
0200	UNPM0180	UNP balk 180 mm gemenied	S235JR EN10025-2/EN10279	16.000	22,50	kg/m	€ 164,00	100 kg
0200	UNPM0200	UNP balk 200 mm gemenied	S235JR EN10025-2/EN10279	6.000	25,80	kg/m	€ 162,50	100 kg
0200	UNPM0200	UNP balk 200 mm gemenied	S235JR EN10025-2/EN10279	12.000	25,80	kg/m	€ 162,50	100 kg
0200	UNPM0200	UNP balk 200 mm gemenied	S235JR EN10025-2/EN10279	15.000	25,80	kg/m	€ 162,50	100 kg
0200	UNPM0200	UNP balk 200 mm gemenied	S235JR EN10025-2/EN10279	16.000	25,80	kg/m	€ 162,50	100 kg
0200	UNPM0220	UNP balk 220 mm gemenied	S235JR EN10025-2/EN10279	6.000	30,00	kg/m	€ 162,50	100 kg
0200	UNPM0220	UNP balk 220 mm gemenied	S235JR EN10025-2/EN10279	12.000	30,00	kg/m	€ 162,50	100 kg
0200	UNPM0220	UNP balk 220 mm gemenied	S235JR EN10025-2/EN10279	15.000	30,00	kg/m	€ 162,50	100 kg
0200	UNPM0220	UNP balk 220 mm gemenied	S235JR EN10025-2/EN10279	18.000	30,00	kg/m	€ 162,50	100 kg
0200	UNPM0240	UNP balk 240 mm gemenied	S235JR EN10025-2/EN10279	6.000	33,90	kg/m	€ 162,50	100 kg
0200	UNPM0240	UNP balk 240 mm gemenied	S235JR EN10025-2/EN10279	12.000	33,90	kg/m	€ 162,50	100 kg
0200	UNPM0240	UNP balk 240 mm gemenied	S235JR EN10025-2/EN10279	15.000	33,90	kg/m	€ 162,50	100 kg
0200	UNPM0240	UNP balk 240 mm gemenied	S235JR EN10025-2/EN10279	16.000	33,90	kg/m	€ 162,50	100 kg
0200	UNPM0240	UNP balk 240 mm gemenied	S235JR EN10025-2/EN10279	18.000	33,90	kg/m	€ 162,50	100 kg
0200	UNPM0260	UNP balk 260 mm gemenied	S235JR EN10025-2/EN10279	12.000	38,70	kg/m	€ 154,00	100 kg
0200	UNPM0260	UNP balk 260 mm gemenied	S235JR EN10025-2/EN10279	18.000	38,70	kg/m	€ 154,00	100 kg

Groep	Profiel code	Omschrijving	Kwaliteit extern	Lengte	Gewicht	Eenh.gew.	Basisprijs	Eenheid
0200	UPE240	UPE balk 240 mm	S235JR EN10025-2/EN10279	12.000	34,00	kg/m	€ 270,00	100 kg
0200	UPE360	UPE balk 360 mm	S235JR EN10025-2/EN10279	12.000	62,30	kg/m	€ 270,00	100 kg