

| Code | Profiel code | Omschrijving | Kwaliteit extern | Lengte | Gewicht | Eenh.gew. | Basisprijs | Eenheid |
|------|----------------|---------------------------------------|--------------------------|--------|---------|-----------|------------|---------|
| 0500 | KGC02502507520 | Koudgewalst C profiel 25x25x7,5x2 mm | S235JR EN10025-2/EN10162 | 6000 | 1,26 | kg/m | € 254,00 | 100 kg |
| 0500 | KGC03001508020 | Koudgewalst C profiel 30x15x8x2 mm | S235JR EN10025-2/EN10162 | 7000 | 1,04 | kg/m | € 219,60 | 100 kg |
| 0500 | KGC03003010020 | Koudgewalst C profiel 30x30x10x2 mm | S235JR EN10025-2/EN10162 | 6000 | 1,58 | kg/m | € 219,60 | 100 kg |
| 0500 | KGC03003010020 | Koudgewalst C profiel 30x30x10x2 mm | S235JR EN10025-2/EN10162 | 7000 | 1,58 | kg/m | € 219,60 | 100 kg |
| 0500 | KGC03003011020 | Koudgewalst C profiel 30x30x11x2 mm | S235JR EN10025-2/EN10162 | 7000 | 1,61 | kg/m | € 287,80 | 100 kg |
| 0500 | KGC04004012530 | Koudgewalst C profiel 40x40x12,5x3 mm | S235JR EN10025-2/EN10162 | 7000 | 3,08 | kg/m | € 219,60 | 100 kg |

| Code | Profiel code | Omschrijving | Kwaliteit extern | Lengte | Gewicht | Eenh.gew. | Basisprijs | Eenheid |
|------|--------------|--------------------------------------|--------------------------|--------|---------|-----------|------------|---------|
| 0500 | KGH01501515 | Koudgewalst hoekprofiel 15x15x1,5 mm | S235JR EN10025-2/EN10162 | 6000 | 0,34 | kg/m | € 299,00 | 100 kg |
| 0500 | KGH01501520 | Koudgewalst hoekprofiel 15x15x2 mm | S235JR EN10025-2/EN10162 | 6000 | 0,44 | kg/m | € 267,90 | 100 kg |
| 0500 | KGH01501530 | Koudgewalst hoekprofiel 15x15x3 mm | S235JR EN10025-2/EN10162 | 6000 | 0,62 | kg/m | € 267,90 | 100 kg |
| 0500 | KGH02002020 | Koudgewalst hoekprofiel 20x20x2 mm | S235JR EN10025-2/EN10162 | 6000 | 0,60 | kg/m | € 257,90 | 100 kg |
| 0500 | KGH02002030 | Koudgewalst hoekprofiel 20x20x3 mm | S235JR EN10025-2/EN10162 | 6000 | 0,86 | kg/m | € 257,90 | 100 kg |
| 0500 | KGH02501520 | Koudgewalst hoekprofiel 25x15x2 mm | S235JR EN10025-2/EN10162 | 7000 | 0,60 | kg/m | € 266,40 | 100 kg |
| 0500 | KGH02502520 | Koudgewalst hoekprofiel 25x25x2 mm | S235JR EN10025-2/EN10162 | 6000 | 0,76 | kg/m | € 257,90 | 100 kg |
| 0500 | KGH02502530 | Koudgewalst hoekprofiel 25x25x3 mm | S235JR EN10025-2/EN10162 | 6000 | 1,10 | kg/m | € 241,30 | 100 kg |
| 0500 | KGH03001520 | Koudgewalst hoekprofiel 30x15x2 mm | S235JR EN10025-2/EN10162 | 6000 | 0,88 | kg/m | € 257,60 | 100 kg |
| 0500 | KGH03001530 | Koudgewalst hoekprofiel 30x15x3 mm | S235JR EN10025-2/EN10162 | 7000 | 0,98 | kg/m | € 260,80 | 100 kg |
| 0500 | KGH03002020 | Koudgewalst hoekprofiel 30x20x2 mm | S235JR EN10025-2/EN10162 | 6000 | 0,76 | kg/m | € 272,40 | 100 kg |
| 0500 | KGH03003020 | Koudgewalst hoekprofiel 30x30x2 mm | S235JR EN10025-2/EN10162 | 6000 | 0,92 | kg/m | € 257,90 | 100 kg |
| 0500 | KGH03003030 | Koudgewalst hoekprofiel 30x30x3 mm | S235JR EN10025-2/EN10162 | 6000 | 1,34 | kg/m | € 241,30 | 100 kg |
| 0500 | KGH03503520 | Koudgewalst hoekprofiel 35x35x2 mm | S235JR EN10025-2/EN10162 | 6000 | 1,08 | kg/m | € 233,10 | 100 kg |
| 0500 | KGH03503530 | Koudgewalst hoekprofiel 35x35x3 mm | S235JR EN10025-2/EN10162 | 6000 | 1,58 | kg/m | € 233,10 | 100 kg |
| 0500 | KGH04002020 | Koudgewalst hoekprofiel 40x20x2 mm | S235JR EN10025-2/EN10162 | 6000 | 0,92 | kg/m | € 267,90 | 100 kg |
| 0500 | KGH04002030 | Koudgewalst hoekprofiel 40x20x3 mm | S235JR EN10025-2/EN10162 | 7000 | 1,34 | kg/m | € 241,30 | 100 kg |
| 0500 | KGH04002530 | Koudgewalst hoekprofiel 40x25x3 mm | S235JR EN10025-2/EN10162 | 7000 | 1,46 | kg/m | € 219,60 | 100 kg |
| 0500 | KGH04003030 | Koudgewalst hoekprofiel 40x30x3 mm | S235JR EN10025-2/EN10162 | 7000 | 1,58 | kg/m | € 219,60 | 100 kg |
| 0500 | KGH04004020 | Koudgewalst hoekprofiel 40x40x2 mm | S235JR EN10025-2/EN10162 | 6000 | 1,24 | kg/m | € 273,10 | 100 kg |
| 0500 | KGH04004030 | Koudgewalst hoekprofiel 40x40x3 mm | S235JR EN10025-2/EN10162 | 7000 | 1,82 | kg/m | € 219,60 | 100 kg |
| 0500 | KGH04004040 | Koudgewalst hoekprofiel 40x40x4 mm | S235JR EN10025-2/EN10162 | 7000 | 2,39 | kg/m | € 219,60 | 100 kg |
| 0500 | KGH05002530 | Koudgewalst hoekprofiel 50x25x3 mm | S235JR EN10025-2/EN10162 | 6000 | 1,70 | kg/m | € 238,60 | 100 kg |
| 0500 | KGH05003020 | Koudgewalst hoekprofiel 50x30x2 mm | S235JR EN10025-2/EN10162 | 7000 | 1,24 | kg/m | € 219,60 | 100 kg |
| 0500 | KGH05003030 | Koudgewalst hoekprofiel 50x30x3 mm | S235JR EN10025-2/EN10162 | 6000 | 1,82 | kg/m | € 219,60 | 100 kg |
| 0500 | KGH05003030 | Koudgewalst hoekprofiel 50x30x3 mm | S235JR EN10025-2/EN10162 | 7000 | 1,82 | kg/m | € 219,60 | 100 kg |
| 0500 | KGH05004003 | Koudgewalst hoekprofiel 50x40x3 mm | S235JR EN10025-2/EN10162 | 7000 | 2,06 | kg/m | € 219,60 | 100 kg |
| 0500 | KGH05005020 | Koudgewalst hoekprofiel 50x50x2 mm | S235JR EN10025-2/EN10162 | 7000 | 1,56 | kg/m | € 219,60 | 100 kg |

| | | | | | | | | |
|------|-------------|--------------------------------------|--------------------------|------|-----------|---|--------|--------|
| 0500 | KGH05005030 | Koudgewalst hoekprofiel 50x50x3 mm | S235JR EN10025-2/EN10162 | 7000 | 2,30 kg/m | € | 219,60 | 100 kg |
| 0500 | KGH05005040 | Koudgewalst hoekprofiel 50x50x4 mm | S235JR EN10025-2/EN10162 | 7000 | 3,03 kg/m | € | 219,60 | 100 kg |
| 0500 | KGH06003030 | Koudgewalst hoekprofiel 60x30x3 mm | S235JR EN10025-2/EN10162 | 7000 | 2,06 kg/m | € | 229,00 | 100 kg |
| 0500 | KGH06004030 | Koudgewalst hoekprofiel 60x40x3 mm | S235JR EN10025-2/EN10162 | 7000 | 2,30 kg/m | € | 219,60 | 100 kg |
| 0500 | KGH06004040 | Koudgewalst hoekprofiel 60x40x4 mm | S235JR EN10025-2/EN10162 | 7000 | 3,03 kg/m | € | 228,60 | 100 kg |
| 0500 | KGH06006030 | Koudgewalst hoekprofiel 60x60x3 mm | S235JR EN10025-2/EN10162 | 6000 | 2,78 kg/m | € | 219,60 | 100 kg |
| 0500 | KGH06006030 | Koudgewalst hoekprofiel 60x60x3 mm | S235JR EN10025-2/EN10162 | 7000 | 2,78 kg/m | € | 219,60 | 100 kg |
| 0500 | KGH06006040 | Koudgewalst hoekprofiel 60x60x4 mm | S235JR EN10025-2/EN10162 | 6000 | 3,67 kg/m | € | 219,60 | 100 kg |
| 0500 | KGH06006040 | Koudgewalst hoekprofiel 60x60x4 mm | S235JR EN10025-2/EN10162 | 7000 | 3,67 kg/m | € | 219,60 | 100 kg |
| 0500 | KGH06506530 | Koudgewalst hoekprofiel 65x65x3 mm | S235JR EN10025-2/EN10162 | 7000 | 3,02 kg/m | € | 219,60 | 100 kg |
| 0500 | KGH07004030 | Koudgewalst hoekprofiel 70x40x3 mm | S235JR EN10025-2/EN10162 | 6000 | 2,54 kg/m | € | 238,60 | 100 kg |
| 0500 | KGH07005040 | Koudgewalst hoekprofiel 70x50x4 mm | S235JR EN10025-2/EN10162 | 6000 | 3,66 kg/m | € | 238,60 | 100 kg |
| 0500 | KGH07007040 | Koudgewalst hoekprofiel 70x70x4 mm | S235JR EN10025-2/EN10162 | 6000 | 4,30 kg/m | € | 229,60 | 100 kg |
| 0500 | KGH07504030 | Koudgewalst hoekprofiel 75x40x3 mm | S235JR EN10025-2/EN10162 | 6000 | 2,66 kg/m | € | 238,60 | 100 kg |
| 0500 | KGH08004030 | Koudgewalst hoekprofiel 80x40x3 mm | S235JR EN10025-2/EN10162 | 6000 | 2,78 kg/m | € | 238,60 | 100 kg |
| 0500 | KGH08004030 | Koudgewalst hoekprofiel 80x40x3 mm | S235JR EN10025-2/EN10162 | 7000 | 2,78 kg/m | € | 238,60 | 100 kg |
| 0500 | KGH08004040 | Koudgewalst hoekprofiel 80x40x4 mm | S235JR EN10025-2/EN10162 | 7000 | 3,67 kg/m | € | 219,60 | 100 kg |
| 0500 | KGH08005040 | Koudgewalst hoekprofiel 80x50x4 mm | S235JR EN10025-2/EN10162 | 6000 | 4,05 kg/m | € | 233,10 | 100 kg |
| 0500 | KGH08005050 | Koudgewalst hoekprofiel 80x50x5 mm | S235JR EN10025-2/EN10162 | 6000 | 6,12 kg/m | € | 233,10 | 100 kg |
| 0500 | KGH08008050 | Koudgewalst hoekprofiel 80x80x5 mm | S235JR EN10025-2/EN10162 | 7000 | 3,02 kg/m | € | 238,60 | 100 kg |
| 0500 | KGH10001050 | Koudgewalst hoekprofiel 100x10x5 mm | S235JR EN10025-2/EN10162 | 7000 | 7,72 kg/m | € | 217,10 | 100 kg |
| 0500 | KGH10005030 | Koudgewalst hoekprofiel 100x50x3 mm | S235JR EN10025-2/EN10162 | 7000 | 3,50 kg/m | € | 217,10 | 100 kg |
| 0500 | KGH10005040 | Koudgewalst hoekprofiel 100x50x4 mm | S235JR EN10025-2/EN10162 | 7000 | 4,63 kg/m | € | 217,10 | 100 kg |
| 0500 | KGH12000630 | Koudgewalst hoekprofiel 120x60x3 mm | S235JR EN10025-2/EN10162 | 7000 | 4,22 kg/m | € | 217,10 | 100 kg |
| 0500 | KGH12000650 | Koudgewalst hoekprofiel 120x60x5 mm | S235JR EN10025-2/EN10162 | 7000 | 6,92 kg/m | € | 217,10 | 100 kg |
| 0500 | KGH12008030 | Koudgewalst hoekprofiel 120x80x3 mm | S235JR EN10025-2/EN10162 | 7000 | 4,70 kg/m | € | 217,10 | 100 kg |
| 0500 | KGH12010030 | Koudgewalst hoekprofiel 120x100x3 mm | S235JR EN10025-2/EN10162 | 7000 | 5,18 kg/m | € | 217,10 | 100 kg |
| 0500 | KGH12010050 | Koudgewalst hoekprofiel 120x100x5 mm | S235JR EN10025-2/EN10162 | 7000 | 8,52 kg/m | € | 217,10 | 100 kg |

| Code | Profiel code | Omschrijving | Kwaliteit extern | Lengte | Gewicht | Eenh.gew. | Basisprijs | Eenheid |
|------|--------------|--|--------------------------|--------|-----------|-----------|------------|---------|
| 0500 | KGO45202020 | Koudgewalst Omegaprofiel 45x20x20x2 mm | S235JR EN10025-2/EN10162 | 6000 | 1,18 kg/m | € | 270,00 | 100 kg |
| 0500 | KGO55473020 | Koudgewalst Omegaprofiel 55x47x30x2 mm | S235JR EN10025-2/EN10162 | 6000 | 2,21 kg/m | € | 219,60 | 100 kg |

| Code | Profiel code | Omschrijving | Kwaliteit extern | Lengte | Gewicht | Eenh.gew. | Basisprijs | Eenheid |
|------|--------------|---|--------------------------|--------|-----------|-----------|------------|---------|
| 0500 | KGR503014060 | Koudgewalst railprofiel 50x30x14x6 mm | S235JR EN10025-2/EN10162 | 7000 | 3,07 kg/m | € | 364,00 | 100 kg |
| 0500 | KGR504010525 | Koudgewalst railprofiel 50x40x105x25 mm | S235JR EN10025-2/EN10162 | 7000 | 2,92 kg/m | € | 219,60 | 100 kg |

| Code | Profiel code | Omschrijving | Kwaliteit extern | Lengte | Gewicht | Eenh.gew. | Basisprijs | Eenheid |
|------|--------------|------------------------------------|--------------------------|--------|---------|-----------|------------|---------|
| 0500 | KGU01001015 | Koudgewalst U profiel 10x10x1,5 mm | S235JR EN10025-2/EN10162 | 6000 | 0,31 | kg/m | € 272,40 | 100 kg |
| 0500 | KGU01201215 | Koudgewalst U profiel 12x12x1,5 mm | S235JR EN10025-2/EN10162 | 6000 | 0,39 | kg/m | € 272,40 | 100 kg |
| 0500 | KGU01201220 | Koudgewalst U profiel 12x12x2 mm | S235JR EN10025-2/EN10162 | 6000 | 0,49 | kg/m | € 272,40 | 100 kg |
| 0500 | KGU01501515 | Koudgewalst U profiel 15x15x1,5 mm | S235JR EN10025-2/EN10162 | 6000 | 0,49 | kg/m | € 299,00 | 100 kg |
| 0500 | KGU01501520 | Koudgewalst U profiel 15x15x2 mm | S235JR EN10025-2/EN10162 | 6000 | 0,64 | kg/m | € 262,40 | 100 kg |
| 0500 | KGU01502520 | Koudgewalst U profiel 15x25x2 mm | S235JR EN10025-2/EN10162 | 6000 | 0,96 | kg/m | € 272,40 | 100 kg |
| 0500 | KGU01801820 | Koudgewalst U profiel 18x18x2 mm | S235JR EN10025-2/EN10162 | 6000 | 0,78 | kg/m | € 257,90 | 100 kg |
| 0500 | KGU02001020 | Koudgewalst U profiel 20x10x2 mm | S235JR EN10025-2/EN10162 | 6000 | 0,56 | kg/m | € 272,40 | 100 kg |
| 0500 | KGU02001520 | Koudgewalst U profiel 20x15x2 mm | S235JR EN10025-2/EN10162 | 6000 | 0,70 | kg/m | € 272,40 | 100 kg |
| 0500 | KGU02002020 | Koudgewalst U profiel 20x20x2 mm | S235JR EN10025-2/EN10162 | 6000 | 0,88 | kg/m | € 257,90 | 100 kg |
| 0500 | KGU02002030 | Koudgewalst U profiel 20x20x3 mm | S235JR EN10025-2/EN10162 | 6000 | 1,24 | kg/m | € 257,90 | 100 kg |
| 0500 | KGU02003020 | Koudgewalst U profiel 20x30x2 mm | S235JR EN10025-2/EN10162 | 6000 | 1,20 | kg/m | € 357,00 | 100 kg |
| 0500 | KGU02202220 | Koudgewalst U profiel 22x22x2 mm | S235JR EN10025-2/EN10162 | 6000 | 0,97 | kg/m | € 247,60 | 100 kg |
| 0500 | KGU02302315 | Koudgewalst U profiel 23x23x1,5 mm | S235JR EN10025-2/EN10162 | 6000 | 0,78 | kg/m | € 290,80 | 100 kg |
| 0500 | KGU02501515 | Koudgewalst U profiel 25x15x1,5 mm | S235JR EN10025-2/EN10162 | 6000 | 0,61 | kg/m | € 257,60 | 100 kg |
| 0500 | KGU02501520 | Koudgewalst U profiel 25x15x2 mm | S235JR EN10025-2/EN10162 | 6000 | 0,80 | kg/m | € 257,60 | 100 kg |
| 0500 | KGU02502515 | Koudgewalst U profiel 25x25x1,5 mm | S235JR EN10025-2/EN10162 | 6000 | 0,85 | kg/m | € 290,80 | 100 kg |
| 0500 | KGU02502520 | Koudgewalst U profiel 25x25x2 mm | S235JR EN10025-2/EN10162 | 6000 | 1,15 | kg/m | € 234,10 | 100 kg |
| 0500 | KGU02502525 | Koudgewalst U profiel 25x25x2.5 mm | S235JR EN10025-2/EN10162 | 6000 | 1,35 | kg/m | € 257,60 | 100 kg |
| 0500 | KGU02502530 | Koudgewalst U profiel 25x25x3 mm | S235JR EN10025-2/EN10162 | 7000 | 1,60 | kg/m | € 219,60 | 100 kg |
| 0500 | KGU02503520 | Koudgewalst U profiel 25x35x2 mm | S235JR EN10025-2/EN10162 | 7000 | 1,44 | kg/m | € 257,60 | 100 kg |
| 0500 | KGU03001520 | Koudgewalst U profiel 30x15x2 mm | S235JR EN10025-2/EN10162 | 6000 | 0,88 | kg/m | € 257,60 | 100 kg |
| 0500 | KGU03001530 | Koudgewalst U profiel 30x15x3 mm | S235JR EN10025-2/EN10162 | 6000 | 1,24 | kg/m | € 257,60 | 100 kg |
| 0500 | KGU03002020 | Koudgewalst U profiel 30x20x2 mm | S235JR EN10025-2/EN10162 | 6000 | 1,04 | kg/m | € 257,60 | 100 kg |
| 0500 | KGU03003020 | Koudgewalst U profiel 30x30x2 mm | S235JR EN10025-2/EN10162 | 6000 | 1,36 | kg/m | € 234,10 | 100 kg |
| 0500 | KGU03003030 | Koudgewalst U profiel 30x30x3 mm | S235JR EN10025-2/EN10162 | 6000 | 1,96 | kg/m | € 219,60 | 100 kg |
| 0500 | KGU03003030 | Koudgewalst U profiel 30x30x3 mm | S235JR EN10025-2/EN10162 | 7000 | 1,96 | kg/m | € 219,60 | 100 kg |
| 0500 | KGU03004020 | Koudgewalst U profiel 30x40x2 mm | S235JR EN10025-2/EN10162 | 7000 | 1,67 | kg/m | € 219,60 | 100 kg |
| 0500 | KGU03004030 | Koudgewalst U profiel 30x40x3 mm | S235JR EN10025-2/EN10162 | 7000 | 2,44 | kg/m | € 219,60 | 100 kg |
| 0500 | KGU03005020 | Koudgewalst U profiel 30x50x2 mm | S235JR EN10025-2/EN10162 | 6000 | 2,00 | kg/m | € 242,60 | 100 kg |
| 0500 | KGU03005030 | Koudgewalst U profiel 30x50x3 mm | S235JR EN10025-2/EN10162 | 6000 | 2,92 | kg/m | € 243,10 | 100 kg |
| 0500 | KGU03203220 | Koudgewalst U profiel 32x32x2 mm | S235JR EN10025-2/EN10162 | 6000 | 1,45 | kg/m | € 257,60 | 100 kg |
| 0500 | KGU03402020 | Koudgewalst U profiel 34x20x2 mm | S235JR EN10025-2/EN10162 | 6000 | 1,09 | kg/m | € 257,60 | 100 kg |
| 0500 | KGU03503520 | Koudgewalst U profiel 35x35x2 mm | S235JR EN10025-2/EN10162 | 6000 | 1,53 | kg/m | € 219,60 | 100 kg |
| 0500 | KGU03503530 | Koudgewalst U profiel 35x35x3 mm | S235JR EN10025-2/EN10162 | 6000 | 2,37 | kg/m | € 219,60 | 100 kg |
| 0500 | KGU03603620 | Koudgewalst U profiel 36x36x2 mm | S235JR EN10025-2/EN10162 | 7000 | 1,64 | kg/m | € 257,60 | 100 kg |

| | | | | | | | | |
|------|-------------|----------------------------------|--------------------------|------|-----------|---|--------|--------|
| 0500 | KGU04001520 | Koudgewalst U profiel 40x15x2 mm | S235JR EN10025-2/EN10162 | 6000 | 1,04 kg/m | € | 257,60 | 100 kg |
| 0500 | KGU04002020 | Koudgewalst U profiel 40x20x2 mm | S235JR EN10025-2/EN10162 | 6000 | 1,20 kg/m | € | 257,60 | 100 kg |
| 0500 | KGU04002030 | Koudgewalst U profiel 40x20x3 mm | S235JR EN10025-2/EN10162 | 7000 | 1,80 kg/m | € | 257,60 | 100 kg |
| 0500 | KGU04002520 | Koudgewalst U profiel 40x25x2 mm | S235JR EN10025-2/EN10162 | 6000 | 1,36 kg/m | € | 257,60 | 100 kg |
| 0500 | KGU04002530 | Koudgewalst U profiel 40x25x3 mm | S235JR EN10025-2/EN10162 | 6000 | 1,96 kg/m | € | 243,60 | 100 kg |
| 0500 | KGU04003020 | Koudgewalst U profiel 40x30x2 mm | S235JR EN10025-2/EN10162 | 6000 | 1,52 kg/m | € | 257,60 | 100 kg |
| 0500 | KGU04003030 | Koudgewalst U profiel 40x30x3 mm | S235JR EN10025-2/EN10162 | 6000 | 2,20 kg/m | € | 233,60 | 100 kg |
| 0500 | KGU04003030 | Koudgewalst U profiel 40x30x3 mm | S235JR EN10025-2/EN10162 | 7000 | 2,20 kg/m | € | 233,60 | 100 kg |
| 0500 | KGU04004020 | Koudgewalst U profiel 40x40x2 mm | S235JR EN10025-2/EN10162 | 6000 | 1,84 kg/m | € | 252,10 | 100 kg |
| 0500 | KGU04004030 | Koudgewalst U profiel 40x40x3 mm | S235JR EN10025-2/EN10162 | 7000 | 2,68 kg/m | € | 219,60 | 100 kg |
| 0500 | KGU04004040 | Koudgewalst U profiel 40x40x4 mm | S235JR EN10025-2/EN10162 | 6000 | 3,50 kg/m | € | 219,60 | 100 kg |
| 0500 | KGU04004040 | Koudgewalst U profiel 40x40x4 mm | S235JR EN10025-2/EN10162 | 7000 | 3,50 kg/m | € | 219,60 | 100 kg |
| 0500 | KGU04004050 | Koudgewalst U profiel 40x40x5 mm | S235JR EN10025-2/EN10162 | 6000 | 4,24 kg/m | € | 219,60 | 100 kg |
| 0500 | KGU04005030 | Koudgewalst U profiel 40x50x3 mm | S235JR EN10025-2/EN10162 | 7000 | 3,16 kg/m | € | 219,60 | 100 kg |
| 0500 | KGU04502040 | Koudgewalst U profiel 45x20x4 mm | S235JR EN10025-2/EN10162 | 6000 | 2,37 kg/m | € | 243,10 | 100 kg |
| 0500 | KGU04502040 | Koudgewalst U profiel 45x20x4 mm | S235JR EN10025-2/EN10162 | 7000 | 2,37 kg/m | € | 243,10 | 100 kg |
| 0500 | KGU04504020 | Koudgewalst U profiel 45x40x2 mm | S235JR EN10025-2/EN10162 | 6000 | 1,92 kg/m | € | 257,60 | 100 kg |
| 0500 | KGU04504530 | Koudgewalst U profiel 45x45x3 mm | S235JR EN10025-2/EN10162 | 6000 | 3,04 kg/m | € | 219,60 | 100 kg |
| 0500 | KGU05002520 | Koudgewalst U profiel 50x25x2 mm | S235JR EN10025-2/EN10162 | 7000 | 1,51 kg/m | € | 233,60 | 100 kg |
| 0500 | KGU05002530 | Koudgewalst U profiel 50x25x3 mm | S235JR EN10025-2/EN10162 | 7000 | 2,20 kg/m | € | 233,60 | 100 kg |
| 0500 | KGU05003020 | Koudgewalst U profiel 50x30x2 mm | S235JR EN10025-2/EN10162 | 6000 | 1,68 kg/m | € | 253,10 | 100 kg |
| 0500 | KGU05003030 | Koudgewalst U profiel 50x30x3 mm | S235JR EN10025-2/EN10162 | 7000 | 2,44 kg/m | € | 219,60 | 100 kg |
| 0500 | KGU05004020 | Koudgewalst U profiel 50x40x2 mm | S235JR EN10025-2/EN10162 | 6000 | 2,00 kg/m | € | 228,60 | 100 kg |
| 0500 | KGU05004020 | Koudgewalst U profiel 50x40x2 mm | S235JR EN10025-2/EN10162 | 7000 | 2,00 kg/m | € | 228,60 | 100 kg |
| 0500 | KGU05004030 | Koudgewalst U profiel 50x40x3 mm | S235JR EN10025-2/EN10162 | 6000 | 3,00 kg/m | € | 228,60 | 100 kg |
| 0500 | KGU05004030 | Koudgewalst U profiel 50x40x3 mm | S235JR EN10025-2/EN10162 | 7000 | 3,00 kg/m | € | 228,60 | 100 kg |
| 0500 | KGU05004040 | Koudgewalst U profiel 50x40x4 mm | S235JR EN10025-2/EN10162 | 7000 | 3,81 kg/m | € | 228,60 | 100 kg |
| 0500 | KGU05005030 | Koudgewalst U profiel 50x50x3 mm | S235JR EN10025-2/EN10162 | 6000 | 3,40 kg/m | € | 219,60 | 100 kg |
| 0500 | KGU05005040 | Koudgewalst U profiel 50x50x4 mm | S235JR EN10025-2/EN10162 | 6000 | 4,45 kg/m | € | 219,60 | 100 kg |
| 0500 | KGU05005040 | Koudgewalst U profiel 50x50x4 mm | S235JR EN10025-2/EN10162 | 7000 | 4,45 kg/m | € | 219,60 | 100 kg |
| 0500 | KGU05005050 | Koudgewalst U profiel 50x50x5 mm | S235JR EN10025-2/EN10162 | 6000 | 5,44 kg/m | € | 219,60 | 100 kg |
| 0500 | KGU05503020 | Koudgewalst U profiel 55x30x2 mm | S235JR EN10025-2/EN10162 | 6000 | 1,75 kg/m | € | 253,10 | 100 kg |
| 0500 | KGU05503050 | Koudgewalst U profiel 55x30x5 mm | S235JR EN10025-2/EN10162 | 7000 | 4,04 kg/m | € | 239,00 | 100 kg |
| 0500 | KGU06003030 | Koudgewalst U profiel 60x30x3 mm | S235JR EN10025-2/EN10162 | 6000 | 2,68 kg/m | € | 219,60 | 100 kg |
| 0500 | KGU06003030 | Koudgewalst U profiel 60x30x3 mm | S235JR EN10025-2/EN10162 | 7000 | 2,68 kg/m | € | 219,60 | 100 kg |
| 0500 | KGU06003040 | Koudgewalst U profiel 60x30x4 mm | S235JR EN10025-2/EN10162 | 6000 | 3,48 kg/m | € | 239,00 | 100 kg |
| 0500 | KGU06003040 | Koudgewalst U profiel 60x30x4 mm | S235JR EN10025-2/EN10162 | 7000 | 3,48 kg/m | € | 239,00 | 100 kg |

| | | | | | | | | |
|------|-------------|------------------------------------|--------------------------|------|-----------|---|--------|--------|
| 0500 | KGU06004020 | Koudgewalst U profiel 60x40x2 mm | S235JR EN10025-2/EN10162 | 7000 | 2,15 kg/m | € | 219,60 | 100 kg |
| 0500 | KGU06004030 | Koudgewalst U profiel 60x40x3 mm | S235JR EN10025-2/EN10162 | 7000 | 3,16 kg/m | € | 219,60 | 100 kg |
| 0500 | KGU06004040 | Koudgewalst U profiel 60x40x4 mm | S235JR EN10025-2/EN10162 | 7000 | 4,13 kg/m | € | 218,10 | 100 kg |
| 0500 | KGU06006030 | Koudgewalst U profiel 60x60x3 mm | S235JR EN10025-2/EN10162 | 6000 | 4,12 kg/m | € | 219,60 | 100 kg |
| 0500 | KGU06006040 | Koudgewalst U profiel 60x60x4 mm | S235JR EN10025-2/EN10162 | 6000 | 5,41 kg/m | € | 219,60 | 100 kg |
| 0500 | KGU06006050 | Koudgewalst U profiel 60x60x5 mm | S235JR EN10025-2/EN10162 | 6000 | 6,64 kg/m | € | 219,60 | 100 kg |
| 0500 | KGU06504050 | Koudgewalst U profiel 65x40x5 mm | S235JR EN10025-2/EN10162 | 6000 | 5,24 kg/m | € | 261,00 | 100 kg |
| 0500 | KGU06504050 | Koudgewalst U profiel 65x40x5 mm | S235JR EN10025-2/EN10162 | 7000 | 5,24 kg/m | € | 261,00 | 100 kg |
| 0500 | KGU06504250 | Koudgewalst U profiel 65x42.5x5 mm | S235JR EN10025-2/EN10162 | 7000 | 4,48 kg/m | € | 233,10 | 100 kg |
| 0500 | KGU07002530 | Koudgewalst U profiel 70x25x3 mm | S235JR EN10025-2/EN10162 | 6000 | 2,68 kg/m | € | 253,10 | 100 kg |
| 0500 | KGU07003030 | Koudgewalst U profiel 70x30x3 mm | S235JR EN10025-2/EN10162 | 6000 | 2,92 kg/m | € | 228,60 | 100 kg |
| 0500 | KGU07003030 | Koudgewalst U profiel 70x30x3 mm | S235JR EN10025-2/EN10162 | 7000 | 2,92 kg/m | € | 228,60 | 100 kg |
| 0500 | KGU07004030 | Koudgewalst U profiel 70x40x3 mm | S235JR EN10025-2/EN10162 | 6000 | 3,40 kg/m | € | 228,60 | 100 kg |
| 0500 | KGU07004040 | Koudgewalst U profiel 70x40x4 mm | S235JR EN10025-2/EN10162 | 7000 | 4,45 kg/m | € | 219,60 | 100 kg |
| 0500 | KGU07005040 | Koudgewalst U profiel 70x50x4 mm | S235JR EN10025-2/EN10162 | 7000 | 5,09 kg/m | € | 219,60 | 100 kg |
| 0500 | KGU07007040 | Koudgewalst U profiel 70x70x4 mm | S235JR EN10025-2/EN10162 | 7000 | 6,37 kg/m | € | 228,60 | 100 kg |
| 0500 | KGU08003030 | Koudgewalst U profiel 80x30x3 mm | S235JR EN10025-2/EN10162 | 6000 | 3,16 kg/m | € | 233,60 | 100 kg |
| 0500 | KGU08003030 | Koudgewalst U profiel 80x30x3 mm | S235JR EN10025-2/EN10162 | 7000 | 3,16 kg/m | € | 233,60 | 100 kg |
| 0500 | KGU08004030 | Koudgewalst U profiel 80x40x3 mm | S235JR EN10025-2/EN10162 | 6000 | 3,65 kg/m | € | 217,10 | 100 kg |
| 0500 | KGU08004030 | Koudgewalst U profiel 80x40x3 mm | S235JR EN10025-2/EN10162 | 7000 | 3,65 kg/m | € | 217,10 | 100 kg |
| 0500 | KGU08004040 | Koudgewalst U profiel 80x40x4 mm | S235JR EN10025-2/EN10162 | 6000 | 4,77 kg/m | € | 217,10 | 100 kg |
| 0500 | KGU08004040 | Koudgewalst U profiel 80x40x4 mm | S235JR EN10025-2/EN10162 | 7000 | 4,77 kg/m | € | 217,10 | 100 kg |
| 0500 | KGU08004040 | Koudgewalst U profiel 80x40x4 mm | S235JR EN10025-2/EN10162 | 7500 | 4,77 kg/m | € | 217,10 | 100 kg |
| 0500 | KGU08004540 | Koudgewalst U profiel 80x45x4 mm | S235JR EN10025-2/EN10162 | 6000 | 5,09 kg/m | € | 233,10 | 100 kg |
| 0500 | KGU08004540 | Koudgewalst U profiel 80x45x4 mm | S235JR EN10025-2/EN10162 | 7000 | 5,09 kg/m | € | 233,10 | 100 kg |
| 0500 | KGU08004550 | Koudgewalst U profiel 80x45x5 mm | S235JR EN10025-2/EN10162 | 6000 | 6,24 kg/m | € | 219,60 | 100 kg |
| 0500 | KGU08004550 | Koudgewalst U profiel 80x45x5 mm | S235JR EN10025-2/EN10162 | 7000 | 6,24 kg/m | € | 219,60 | 100 kg |
| 0500 | KGU08005030 | Koudgewalst U profiel 80x50x3 mm | S235JR EN10025-2/EN10162 | 7000 | 4,12 kg/m | € | 219,60 | 100 kg |
| 0500 | KGU08005040 | Koudgewalst U profiel 80x50x4 mm | S235JR EN10025-2/EN10162 | 6000 | 5,41 kg/m | € | 217,10 | 100 kg |
| 0500 | KGU08005040 | Koudgewalst U profiel 80x50x4 mm | S235JR EN10025-2/EN10162 | 7000 | 5,41 kg/m | € | 217,10 | 100 kg |
| 0500 | KGU08005050 | Koudgewalst U profiel 80x50x5 mm | S235JR EN10025-2/EN10162 | 6000 | 6,64 kg/m | € | 219,60 | 100 kg |
| 0500 | KGU08005050 | Koudgewalst U profiel 80x50x5 mm | S235JR EN10025-2/EN10162 | 7000 | 6,64 kg/m | € | 219,60 | 100 kg |
| 0500 | KGU08005060 | Koudgewalst U profiel 80x50x6 mm | S235JR EN10025-2/EN10162 | 7000 | 7,84 kg/m | € | 233,10 | 100 kg |
| 0500 | KGU08006060 | Koudgewalst U profiel 80x60x6 mm | S235JR EN10025-2/EN10162 | 6000 | 8,83 kg/m | € | 284,00 | 100 kg |
| 0500 | KGU08008040 | Koudgewalst U profiel 80x80x4 mm | S235JR EN10025-2/EN10162 | 6000 | 7,33 kg/m | € | 233,10 | 100 kg |
| 0500 | KGU09003030 | Koudgewalst U profiel 90x30x3 mm | S235JR EN10025-2/EN10162 | 6000 | 3,40 kg/m | € | 228,60 | 100 kg |
| 0500 | KGU09004030 | Koudgewalst U profiel 90x40x3 mm | S235JR EN10025-2/EN10162 | 7000 | 3,88 kg/m | € | 228,60 | 100 kg |

| | | | | | | | | |
|------|-------------|------------------------------------|--------------------------|------|------------|---|--------|--------|
| 0500 | KGU09004040 | Koudgewalst U profiel 90x40x4 mm | S235JR EN10025-2/EN10162 | 7000 | 5,08 kg/m | € | 228,60 | 100 kg |
| 0500 | KGU10003030 | Koudgewalst U profiel 100x30x3 mm | S235JR EN10025-2/EN10162 | 6000 | 5,41 kg/m | € | 228,60 | 100 kg |
| 0500 | KGU10004040 | Koudgewalst U profiel 100x40x4 mm | S235JR EN10025-2/EN10162 | 6000 | 5,41 kg/m | € | 219,60 | 100 kg |
| 0500 | KGU10005030 | Koudgewalst U profiel 100x50x3 mm | S235JR EN10025-2/EN10162 | 6000 | 4,60 kg/m | € | 219,60 | 100 kg |
| 0500 | KGU10005040 | Koudgewalst U profiel 100x50x4 mm | S235JR EN10025-2/EN10162 | 6000 | 6,05 kg/m | € | 217,10 | 100 kg |
| 0500 | KGU10005040 | Koudgewalst U profiel 100x50x4 mm | S235JR EN10025-2/EN10162 | 7000 | 6,05 kg/m | € | 217,10 | 100 kg |
| 0500 | KGU10005050 | Koudgewalst U profiel 100x50x5 mm | S235JR EN10025-2/EN10162 | 7000 | 7,44 kg/m | € | 217,10 | 100 kg |
| 0500 | KGU10006040 | Koudgewalst U profiel 100x60x4 mm | S235JR EN10025-2/EN10162 | 7000 | 6,69 kg/m | € | 219,60 | 100 kg |
| 0500 | KGU10006060 | Koudgewalst U profiel 100x60x6 mm | S235JR EN10025-2/EN10162 | 7000 | 9,76 kg/m | € | 228,60 | 100 kg |
| 0500 | KGU10010030 | Koudgewalst U profiel 100x100x3 mm | S235JR EN10025-2/EN10162 | 7000 | 3,64 kg/m | € | 219,60 | 100 kg |
| 0500 | KGU10010040 | Koudgewalst U profiel 100x100x4 mm | S235JR EN10025-2/EN10162 | 6000 | 9,25 kg/m | € | 242,60 | 100 kg |
| 0500 | KGU11005030 | Koudgewalst U profiel 110x50x3 mm | S235JR EN10025-2/EN10162 | 6000 | 4,84 kg/m | € | 247,10 | 100 kg |
| 0500 | KGU11005040 | Koudgewalst U profiel 110x50x4 mm | S235JR EN10025-2/EN10162 | 6000 | 6,37 kg/m | € | 247,10 | 100 kg |
| 0500 | KGU11005040 | Koudgewalst U profiel 110x50x4 mm | S235JR EN10025-2/EN10162 | 7000 | 6,37 kg/m | € | 247,10 | 100 kg |
| 0500 | KGU12005030 | Koudgewalst U profiel 120x50x3 mm | S235JR EN10025-2/EN10162 | 6000 | 5,08 kg/m | € | 219,60 | 100 kg |
| 0500 | KGU12005030 | Koudgewalst U profiel 120x50x3 mm | S235JR EN10025-2/EN10162 | 7000 | 5,08 kg/m | € | 219,60 | 100 kg |
| 0500 | KGU12005040 | Koudgewalst U profiel 120x50x4 mm | S235JR EN10025-2/EN10162 | 6000 | 6,69 kg/m | € | 217,10 | 100 kg |
| 0500 | KGU12005050 | Koudgewalst U profiel 120x50x5 mm | S235JR EN10025-2/EN10162 | 7000 | 8,24 kg/m | € | 219,60 | 100 kg |
| 0500 | KGU12006040 | Koudgewalst U profiel 120x60x4 mm | S235JR EN10025-2/EN10162 | 6000 | 7,33 kg/m | € | 219,60 | 100 kg |
| 0500 | KGU12006050 | Koudgewalst U profiel 120x60x5 mm | S235JR EN10025-2/EN10162 | 6000 | 9,04 kg/m | € | 228,60 | 100 kg |
| 0500 | KGU12006050 | Koudgewalst U profiel 120x60x5 mm | S235JR EN10025-2/EN10162 | 7000 | 9,04 kg/m | € | 228,60 | 100 kg |
| 0500 | KGU12006060 | Koudgewalst U profiel 120x60x6 mm | S235JR EN10025-2/EN10162 | 7000 | 10,72 kg/m | € | 228,60 | 100 kg |
| 0500 | KGU14004030 | Koudgewalst U profiel 140x40x3 mm | S235JR EN10025-2/EN10162 | 7000 | 5,13 kg/m | € | 233,10 | 100 kg |
| 0500 | KGU14005040 | Koudgewalst U profiel 140x50x4 mm | S235JR EN10025-2/EN10162 | 6000 | 7,33 kg/m | € | 216,10 | 100 kg |
| 0500 | KGU14005040 | Koudgewalst U profiel 140x50x4 mm | S235JR EN10025-2/EN10162 | 7000 | 7,33 kg/m | € | 216,10 | 100 kg |
| 0500 | KGU14006040 | Koudgewalst U profiel 140x60x4 mm | S235JR EN10025-2/EN10162 | 6000 | 7,97 kg/m | € | 219,60 | 100 kg |
| 0500 | KGU14006040 | Koudgewalst U profiel 140x60x4 mm | S235JR EN10025-2/EN10162 | 7000 | 7,97 kg/m | € | 219,60 | 100 kg |
| 0500 | KGU14006060 | Koudgewalst U profiel 140x60x6 mm | S235JR EN10025-2/EN10162 | 6000 | 11,68 kg/m | € | 225,60 | 100 kg |
| 0500 | KGU14006060 | Koudgewalst U profiel 140x60x6 mm | S235JR EN10025-2/EN10162 | 7000 | 11,68 kg/m | € | 225,60 | 100 kg |
| 0500 | KGU14008040 | Koudgewalst U profiel 140x80x4 mm | S235JR EN10025-2/EN10162 | 7000 | 9,26 kg/m | € | 219,60 | 100 kg |
| 0500 | KGU15005050 | Koudgewalst U profiel 150x50x5 mm | S235JR EN10025-2/EN10162 | 7000 | 9,56 kg/m | € | 219,60 | 100 kg |
| 0500 | KGU16005040 | Koudgewalst U profiel 160x50x4 mm | S235JR EN10025-2/EN10162 | 6000 | 7,97 kg/m | € | 233,10 | 100 kg |
| 0500 | KGU16005050 | Koudgewalst U profiel 160x50x5 mm | S235JR EN10025-2/EN10162 | 6000 | 9,84 kg/m | € | 233,10 | 100 kg |
| 0500 | KGU16006040 | Koudgewalst U profiel 160x60x4 mm | S235JR EN10025-2/EN10162 | 6000 | 8,61 kg/m | € | 228,60 | 100 kg |
| 0500 | KGU16006040 | Koudgewalst U profiel 160x60x4 mm | S235JR EN10025-2/EN10162 | 7000 | 8,61 kg/m | € | 228,60 | 100 kg |
| 0500 | KGU16006050 | Koudgewalst U profiel 160x60x5 mm | S235JR EN10025-2/EN10162 | 6000 | 10,64 kg/m | € | 228,60 | 100 kg |
| 0500 | KGU16006050 | Koudgewalst U profiel 160x60x5 mm | S235JR EN10025-2/EN10162 | 7000 | 10,64 kg/m | € | 228,60 | 100 kg |

| | | | | | | | | |
|------|-------------|-----------------------------------|--------------------------|------|------------|---|--------|--------|
| 0500 | KGU16006060 | Koudgewalst U profiel 160x60x6 mm | S235JR EN10025-2/EN10162 | 7000 | 12,64 kg/m | € | 228,60 | 100 kg |
| 0500 | KGU16006560 | Koudgewalst U profiel 160x65x6 mm | S235JR EN10025-2/EN10162 | 7000 | 13,12 kg/m | € | 233,10 | 100 kg |
| 0500 | KGU16007040 | Koudgewalst U profiel 160x70x4 mm | S235JR EN10025-2/EN10162 | 6000 | 9,26 kg/m | € | 228,60 | 100 kg |
| 0500 | KGU16007050 | Koudgewalst U profiel 160x70x5 mm | S235JR EN10025-2/EN10162 | 7000 | 11,44 kg/m | € | 228,60 | 100 kg |
| 0500 | KGU18005040 | Koudgewalst U profiel 180x50x4 mm | S235JR EN10025-2/EN10162 | 6000 | 8,61 kg/m | € | 228,60 | 100 kg |
| 0500 | KGU18006040 | Koudgewalst U profiel 180x60x4 mm | S235JR EN10025-2/EN10162 | 6000 | 9,26 kg/m | € | 219,60 | 100 kg |
| 0500 | KGU18006050 | Koudgewalst U profiel 180x60x5 mm | S235JR EN10025-2/EN10162 | 6000 | 11,44 kg/m | € | 228,60 | 100 kg |
| 0500 | KGU20006040 | Koudgewalst U profiel 200x60x4 mm | S235JR EN10025-2/EN10162 | 6000 | 10,14 kg/m | € | 228,60 | 100 kg |
| 0500 | KGU20006050 | Koudgewalst U profiel 200x60x5 mm | S235JR EN10025-2/EN10162 | 7000 | 12,60 kg/m | € | 228,60 | 100 kg |
| 0500 | KGU20006060 | Koudgewalst U profiel 200x60x6 mm | S235JR EN10025-2/EN10162 | 6000 | 14,56 kg/m | € | 228,60 | 100 kg |
| 0500 | KGU20006060 | Koudgewalst U profiel 200x60x6 mm | S235JR EN10025-2/EN10162 | 7000 | 14,56 kg/m | € | 228,60 | 100 kg |
| 0500 | KGU20008050 | Koudgewalst U profiel 200x80x5 mm | S235JR EN10025-2/EN10162 | 6000 | 13,84 kg/m | € | 228,60 | 100 kg |
| 0500 | KGU20080040 | Koudgewalst U profiel 200x80x4 mm | S235JR EN10025-2/EN10162 | 6000 | 11,17 kg/m | € | 228,60 | 100 kg |
| 0500 | KGU22008050 | Koudgewalst U profiel 220x80x5 mm | S235JR EN10025-2/EN10162 | 6000 | 14,64 kg/m | € | 228,60 | 100 kg |